

# He/10

# Spectroscopic lamps



#### Areas of application

- Optics, photophysics, spectroscopy
- Chemical engineering and medicine







## Product datasheet

#### Technical data

#### **Product information**

Order reference	HE10 60V VS1
-----------------	--------------

#### **Electrical data**

Lamp voltage	60 V
Nominal current	100 A
Type of current	AC
Nominal wattage	5500 W

## **Dimensions & weight**



Filament length	3.00 mm
Filament diameter	8.0 mm

# Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
--	--------

#### Additional product data

Design / version	Helium
Base (standard designation)	PICO9

## **Country specific categorizations**

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Date of Declaration 05-03-2024					

# Product datasheet

Primary Article Identifier	4050300212258   4008321484529
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	a86354d2-4145-4512-a5c9-2e27fa9083a9

## Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300212258	OSRSPHE10	-	-	-
4050300727752	OSRSPHE10	-	-	-

#### Product datasheet

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300212258	He/10	Shipping carton box 1	167 mm x 64 mm x 66 mm	0.71 dm <sup>3</sup>	103.00 g
4050300727752	He/10	Shipping carton box 10	345 mm x 198 mm x 145 mm	9.90 dm³	1031.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.