

64620 150 W 15 V

Halogen lamps with reflector MR16



Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)





Product datasheet

Technical data

Product information

| Order reference | 64620 150W 15V |
|-----------------|----------------|
|-----------------|----------------|

Electrical data

| Nominal voltage | 15.0 V |
|-----------------|----------|
| Nominal wattage | 150.00 W |


Photometrical data

| Color temperature | 3270 K |
|-------------------|--------|
| | |

Light technical data

| Focal length | 32.0 mm |
|--------------|---------|
|--------------|---------|

Dimensions & weight



| Diameter | 51.0 mm |
|----------|---------|
| Length | 42.0 mm |

Lifespan

| Lifespan | 500 h |
|----------|-------|
| | |

Additional product data

| Coating | Dichroic |
|-----------------------------|----------|
| Base (standard designation) | GZ6.35 |

Capabilities

| Burning position p90/p15 |
|---------------------------------|
|---------------------------------|

Product datasheet

Country specific categorizations

| ANSI code | EFR-5 | |
|-----------------|----------------|--|
| Order reference | 64620 150W 15V | |

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | |
|---|------------------------------------|--|--|
| Date of Declaration 29-02-2024 | | | |
| Primary Article Identifier | 4050300797397 4008321540140 | | |
| Candidate List Substance 1 | No declarable substances contained | | |
| Declaration No. in SCIP database No declarable substances contained | | | |

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4050300797397 | 64620 150 W 15 V | Folding carton box 1 | 46 mm x 46 mm x 58 mm | 0.12 dm ³ | 34.00 g |
| 4050300797403 | 64620 150 W 15 V | Shipping carton box 20 | 238 mm x 105 mm x 123 mm | 3.07 dm ³ | 738.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further technical information please refer to the following OSRAM brochure:

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

[&]quot;Technology and applications, Low-voltage tungsten-halogen lamps"

[&]quot;Halogen lamps, low and medium voltage for entertainment, technical and medical applications" cross reference list