# HBO 2501 W/NIL

HBO-IC Microlithography lamps for Nikon i-line systems | Microlithography lamps for Nikon i-line systems

# Product datasheet

## Electrical data

| | |
|---|---|
| **Nominal voltage** | 230 V |
| **Nominal current** | 109 A |
| **Type of current** | DC |
| **Rated wattage** | 250000 W |
| **Nominal wattage** | 2500.00 W |

## Dimensions & weight

| | |
|---|---|
| **Diameter** | 700 mm |
| **Length** | 3570 mm |
| **Mounting length** | 367.0 mm |
| **Length with base excl. base pins/connection** | 325.00 mm |
| **Electrode gap cold** | 4.5 mm |

## Capabilities

| | |
|---|---|
| **Burning position** | Other [1] |

[1] Anode underneath

## Environmental information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Date of Declaration** | 29-03-2024 |
| **Primary Article Identifier** | 4050300947297 \| 4050300628288 |
| **Candidate List Substance 1** | Lead |
| **CAS No. of substance 1** | 7439-92-1 |
| **Safe Use Instruction** | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

# Product datasheet

| Declaration No. in SCIP database | faa2dfd8-6274-4952-b7d7-bd1fda2095b5 \| acad9a73-72da-4647-89c2-6332ec6c3c88 |
|---|---|

# Product datasheet

## Safety advice

Because of their high luminance, UV radiation and high internal pressure (when hot) HBO lamps may only be operated in enclosed lamp casings specially constructed for the purpose. Mercury is released if the lamp breaks. Special safety precautions must be taken. More information is available on request or can be found in the leaflet included with the lamp or in the operating instructions.

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4050300628288 | HBO 2501 W/NIL | Folding carton box 1 | - x - x - | | |
| 4050300739632 | HBO 2501 W/NIL | Folding carton box 4 | - x - x - | | |
| 4050300628295 | HBO 2501 W/NIL | Shipping carton box 4 | 800 mm x 600 mm x 825 mm | 396.00 dm³ | 16103.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Disclaimer

— Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.