


ALLSEASON SUPER / ALLSEASON

Extra visibility under all weather conditions



Extra visibility

Due to yellow coating



Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight

Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product family datasheet

Technical data

Product description	Product information		General Product Information	Electrical Data	
	Application (Category and Product specific)	Product type (off-road vs. on-road)	Global order reference	Power input	Nominal voltage
ALLSEASON SUPER / ALLSEASON H1	Halogen headlight lamp		64150ALS	68 W ²⁾	12.0 V
ALLSEASON SUPER / ALLSEASON H3	Halogen headlight lamp		64151ALS	68 W ²⁾	12.0 V
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	Halogen headlight lamp		64193ALS	75 / 68 W ²⁾	12.0 V
ALLSEASON SUPER / ALLSEASON \triangleq H4	Halogen headlight lamp	Off-road \triangleq H4	62204ALL	100 / 80 W ²⁾	12.0 V
ALLSEASON SUPER / ALLSEASON H7	Halogen headlight lamp		64210ALL	58 W ²⁾	12.0 V

Product description	Nominal wattage	Test voltage	Photometric Data		Physical Attributes & Dimensions
			Nominal luminous flux	Luminous flux tolerance	Diameter
ALLSEASON SUPER / ALLSEASON H1	55 W	13.2 V	1550 lm	± 15 %	8.5 mm
ALLSEASON SUPER / ALLSEASON H3	55 W	13.2 V	1600 lm	± 15 %	11.0 mm
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	60/55 W	13.2 V	1650/1000 lm	± 15 / ± 15 %	17.0 mm
ALLSEASON SUPER / ALLSEASON \triangleq H4	100/90 W	13.2 V	2900/1700 lm	± 15 / ± 15 %	17.0 mm
ALLSEASON SUPER / ALLSEASON H7	55 W	13.2 V	1500 lm	± 10 %	12.0 mm

Product description	Lifetime Data		Capabilities	Certificates & standards	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Lifespan B3	Lifespan Tc	Technology	ECE category	Date of declaration	Primary article identifier
ALLSEASON SUPER / ALLSEASON H1	150 hr	350 hr	HAL	H1	29-10-2024	4050300504544 4008321168733
ALLSEASON SUPER / ALLSEASON H3	150 hr	350 hr	HAL	H3	29-10-2024	4050300504490
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	150 / 150 hr ³⁾	350 / 350 hr ³⁾	HAL	H4	29-10-2024	4050300435978 4052899503311 4008321168559
ALLSEASON SUPER / ALLSEASON \triangleq H4	45 / 100 hr	90 / 200 hr	HAL		29-10-2024	4052899369467 4052899369610 4052899369665 4062172358941
ALLSEASON SUPER / ALLSEASON H7	330 hr	550 hr	HAL	H7	29-10-2024	4052899487239 4050300483153 4052899503335 4008321168757

Product family datasheet

Product description	Candidate list substance 1	Declaration no. in SCIP database
ALLSEASON SUPER / ALLSEASON H1	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON H3	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON $\hat{=}$ H4	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON H7	No declarable substances contained	In work

¹⁾ SUPER version for more light on the road

²⁾ Maximum

³⁾ Filament 1

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

