


# ALLSEASON SUPER / ALLSEASON H4

Extra visibility under all weather conditions



#### Extra visibility

Due to yellow coating



#### Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



#### Better sight

Under all weather conditions



#### Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Technical data

Product information

|   |                        |
|---|------------------------|
| Order reference                             | 64193ALS               |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


|                 |                         |
|-----------------|-------------------------|
| Power input     | 75 / 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V                  |
| Nominal wattage | 60/55 W                 |
| Test voltage    | 13.2 V                  |

<sup>1)</sup> Maximum

Photometrical data

|                         |              |
|-------------------------|--------------|
| Luminous flux           | 1650/1000 lm |
| Luminous flux tolerance | ±15 / ±15 %  |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 17.0 mm |
| Product weight | 25.60 g |
| Length         | 82.0 mm |

Lifespan

|             |                           |
|-------------|---------------------------|
| Lifespan B3 | 150 / 150 h <sup>1)</sup> |
| Lifespan Tc | 350 / 350 h <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

|                             |      |
|-----------------------------|------|
| Base (standard designation) | P43t |
|-----------------------------|------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |    |
|--------------|----|
| ECE category | H4 |
|--------------|----|

Country specific categorizations

|                 |          |
|-----------------|----------|
| Order reference | 64193ALS |
|-----------------|----------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |   |
|---|---|
| Date of Declaration   | 05-03-2024                                    |
| Primary Article Identifier  | 4050300435978   4008321168559   4052899503311 |
| Candidate List Substance 1  | No declarable substances contained            |
| Declaration No. in SCIP database                                      | In work                                       |

Logistical Data

| Product code  | Product description               | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume                | Gross weight |
|---------------|-----------------------------------|---------------------------------|---|-----------------------|--------------|
| 4050300435978 | ALLSEASON SUPER /<br>ALLSEASON H4 | Folding carton box<br>1         | - x - x -                               |                       |              |
| 4050300435985 | ALLSEASON SUPER /<br>ALLSEASON H4 | Bundle<br>10                    | - x - x -                               |                       |              |
| 4050300435992 | ALLSEASON SUPER /<br>ALLSEASON H4 | Shipping carton box<br>100      | 485 mm x 250 mm x<br>160 mm             | 19.40 dm <sup>3</sup> | 3800.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

