OSRAM ALLSEASON SUPER / ALLSEASON H3

Extra visibility under all weather conditions







Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Technical data

Product information

Order reference	64151ALS	
Application (Category and Product specific)	Halogen headlight lamp	

Electrical data


Power input	68 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55.00 W
Test voltage	13.2 V

¹⁾ Maximum

Photometrical data

Luminous flux	1600 lm
Luminous flux tolerance	±15 %
Color temperature	3200 К

Dimensions & weight



Diameter	12.0 mm
Product weight	6.90 g
Length	62.5 mm

Lifespan

Lifespan B3	150 h
Lifespan Tc	350 h

Additional product data

Base (standard designation)	PK22s

Capabilities

Technology	HAL		
Certificates & standards			
ECE category	НЗ		
Country specific categorizations			
Order reference	64151ALS		

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	05-03-2024
Primary Article Identifier	4050300507422 4050300504490 4062172257077
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300504490	OSRA64151ALS	-	-	-
4050300504506	OSRA64151ALS	-	-	-
4050300504490	OSRA64151ALS	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300504490	ALLSEASON SUPER / ALLSEASON H3	Folding carton box 1	25 mm x 23 mm x 70 mm	0.04 dm ³	8.00 g
4050300504506	ALLSEASON SUPER / ALLSEASON H3	Bundle 10	113 mm x 50 mm x 70 mm	0.40 dm³	84.00 g
4050300504513	ALLSEASON SUPER / ALLSEASON H3	Shipping carton box 100	122 mm x 109 mm x 361 mm	4.80 dm ³	937.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.





人家









1.0, ⊙ 2. ⊂=10 ↔ [

