

# ORIGINAL LINE H1

Original spare part



## The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

|                                             |                        |
|---------------------------------------------|------------------------|
| Order reference                             | 64150                  |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


|                 |                    |
|-----------------|--------------------|
| Power input     | 68 W <sup>1)</sup> |
| Nominal voltage | 12.0 V             |
| Nominal wattage | 55.00 W            |
| Test voltage    | 13.2 V             |

<sup>1)</sup> Maximum

Photometrical data

|                         |         |
|-------------------------|---------|
| Luminous flux           | 1550 lm |
| Luminous flux tolerance | ±15 %   |
| Color temperature       | 3200 K  |

Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 9 mm    |
| Product weight | 6.30 g  |
| Length         | 67.5 mm |

Lifespan

|             |       |
|-------------|-------|
| Lifespan B3 | 400 h |
| Lifespan Tc | 650 h |

Additional product data

|                             |        |
|-----------------------------|--------|
| Base (standard designation) | P14.5s |
|-----------------------------|--------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |    |
|--------------|----|
| ECE category | H1 |
|--------------|----|

Country specific categorizations

|                 |       |
|-----------------|-------|
| Order reference | 64150 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                                                                                                                                                                                                                               |
|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Date of Declaration                                                   | 05-03-2024                                                                                                                                                                                                                                    |
| Primary Article Identifier                                            | 4050300001487   4050300925264   4050300892474   4008321022240   4050300880181   4008321302748   4008321380593   4008321675460   4052899412026   4058075021891   4062172159340   4062172285056   4062172341400   4062172216470   4062172395380 |
| Candidate List Substance 1                                            | No declarable substances contained                                                                                                                                                                                                            |
| Declaration No. in SCIP database                                      | In work                                                                                                                                                                                                                                       |

Country specific information

| Product code  | METEL code    | SEG-No. | STK number | UK Org |
|---------------|---------------|---------|------------|--------|
| 4050300001487 | OSRA64150     | -       | -          | -      |
| 4050300206820 | OSRA64150     | -       | -          | -      |
| 4050300001487 | OSRA64150     | -       | -          | -      |
| 4050300925264 | OSRA64150BLI1 | -       | 4730314    | -      |
| 4050300925264 | OSRA64150BLI1 | -       | 4730314    | -      |

Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|---------------|---------------------|---------------------------------|-----------------------------------------|----------------------|--------------|
| 4050300001487 | ORIGINAL LINE H1    | Folding carton box<br>1         | 25 mm x 23 mm x<br>70 mm                | 0.04 dm <sup>3</sup> | 8.00 g       |
| 4050300206820 | ORIGINAL LINE H1    | Bundle<br>10                    | 113 mm x 50 mm x<br>70 mm               | 0.40 dm <sup>3</sup> | 80.00 g      |
| 4050300206837 | ORIGINAL LINE H1    | Shipping carton box<br>100      | 122 mm x 109 mm x<br>361 mm             | 4.80 dm <sup>3</sup> | 894.00 g     |

Product datasheet

|               |                  |                           |                             |                      |          |
|---------------|------------------|---------------------------|-----------------------------|----------------------|----------|
| 4050300925264 | ORIGINAL LINE H1 | Blister<br>1              | - x - x -                   |                      |          |
| 4008321142009 | ORIGINAL LINE H1 | Shipping carton box<br>10 | 225 mm x 105 mm x<br>145 mm | 3.43 dm <sup>3</sup> | 248.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File                                                                              |                                       |
|-----------------------------------------------------------------------------------|---------------------------------------|
|  | 360 Degree Image<br>ORIGINAL H1 64150 |

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

