

# ORIGINAL LINE H4

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Technical data

Product information

|                                             |                        |
|---------------------------------------------|------------------------|
| Order reference                             | 94196                  |
| Application (Category and Product specific) | Halogen headlight lamp |

Electrical data


|                 |                         |
|-----------------|-------------------------|
| Power input     | 85 / 80 W <sup>1)</sup> |
| Nominal voltage | 240 V                   |
| Nominal wattage | 75/70 W                 |
| Test voltage    | 28.0 V                  |

<sup>1)</sup> Maximum

Photometrical data

|                         |              |
|-------------------------|--------------|
| Luminous flux           | 1900/1200 lm |
| Luminous flux tolerance | ±15 / ±15 %  |

Dimensions & weight



|                |        |
|----------------|--------|
| Length         | 820 mm |
| Diameter       | 160 mm |
| Product weight | 2560 g |

Lifespan

|             |                            |
|-------------|----------------------------|
| Lifespan B3 | 170 / 500 h <sup>1)</sup>  |
| Lifespan Tc | 400 / 1500 h <sup>1)</sup> |

<sup>1)</sup> Filament 1 / Filament 2

Additional product data

|                             |      |
|-----------------------------|------|
| Base (standard designation) | P43t |
|-----------------------------|------|

Product datasheet

Capabilities

|            |     |
|------------|-----|
| Technology | HAL |
|------------|-----|

Certificates & standards

|              |    |
|--------------|----|
| ECE category | H4 |
|--------------|----|

Country specific categorizations

|                 |       |
|-----------------|-------|
| Order reference | 94196 |
|-----------------|-------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                    |
|-----------------------------------------------------------------------|------------------------------------|
| Date of Declaration                                                   | 05-03-2024                         |
| Primary Article Identifier                                            | 4050300250618   4050300250632      |
| Candidate List Substance 1                                            | No declarable substances contained |
| Declaration No. in SCIP database                                      | In work                            |

Country specific information

| Product code  | METEL code | SEG-No. | STK-Number | UK Org |
|---------------|------------|---------|------------|--------|
| 4050300250632 | OSRA94196  | -       | -          | -      |
| 4050300250649 | OSRA94196  | -       | -          | -      |
| 4050300250632 | OSRA94196  | -       | -          | -      |

Logistical Data

| Product code  | Product description | Packaging unit<br>(Pieces/Unit) | Dimensions (length<br>x width x height) | Volume                | Gross weight |
|---------------|---------------------|---------------------------------|-----------------------------------------|-----------------------|--------------|
| 4050300250632 | ORIGINAL LINE H4    | Folding carton box<br>1         | - x - x -                               |                       |              |
| 4050300250649 | ORIGINAL LINE H4    | Bundle<br>10                    | - x - x -                               |                       |              |
| 4050300250656 | ORIGINAL LINE H4    | Shipping carton box<br>100      | 485 mm x 250 mm x<br>160 mm             | 19.40 dm <sup>3</sup> | 3675.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM