# **OSRAM**

# ORIGINAL - FESTOON -

Original spare part





#### The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

#### Technical data

#### **Product information**

Order reference	6421	
Application (Category and Product specific)	Auxiliary lamp	


#### **Electrical data**

Power input	3 W
Nominal voltage	240 V
Nominal wattage	300 W
Power input tolerance	±10 %
Test voltage	28.0 V

#### Photometrical data

Luminous flux	17 lm
Luminous flux tolerance	±20 %

### **Dimensions & weight**



Length	410 mm
Diameter	1100 mm
Product weight	315 g

#### Lifespan

Lifespan B3	800 h
Lifespan Tc	1500 h

#### Additional product data

Deep (standard designation)	SV8 5-8
Base (standard designation)	578.2-8

#### Capabilities

Technology	AUX		
Certificates & standards			
ECE category	-		
Country specific categorizations			
Order reference	6421		

### **Environmental information**

#### Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration 05-03-2024		
Primary Article Identifier	4008321007896   4008321090768	
Candidate List Substance 1	No declarable substances contained	
Declaration No. in SCIP database	In work	

#### Country specific information

Product code	METEL code	SEG number	STK-Number	UK Org
4008321090768	OSRA6421	8335020	-	-
4008321090775	OSRA6421	8335020	-	-
4008321090768	OSRA6421	8335020	-	-

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321090768	ORIGINAL FESTOON 6421	Unpacked 1	- x - x -		
4008321090775	ORIGINAL FESTOON 6421	Folding carton box 10	- x - x -		
4008321090782	ORIGINAL FESTOON 6421	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm³	308.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.









