

ORIGINAL LINE

Original spare part



The cost-effective original spare parts for motorcycles

OSRAM ORIGINAL LINE motorcycle lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.



Product family datasheet

Technical data

| Product description | Electrical Data | | | | Physical Attributes & Dimensions |
|---------------------|-----------------------------|-----------------|-----------------|--------------|----------------------------------|
| | Power input | Nominal voltage | Nominal wattage | Test voltage | Lamp base |
| ORIGINAL LINE S1 | 40 W ¹⁾ | 12 V | 25/25 W | 13.2 V | BA20d |
| ORIGINAL LINE S2 | 40 W ¹⁾ | 12 V | 35/35 W | 13.2 V | BA20d |
| ORIGINAL LINE HS1 | 36.8 / 36.8 W ¹⁾ | 12 V | 35 W | 13.2 V | PX43t |





| Product description | Length | Diameter | Diameter | Lifetime Data | |
|---------------------|---------|----------|----------|---------------------------|----------------------------|
| | | | | Lifespan B3 | Lifespan Tc |
| ORIGINAL LINE S1 | 67.0 mm | 15.0 mm | 15.0 mm | 100 / 200 hr | 200 / 400 hr |
| ORIGINAL LINE S2 | 71.0 mm | 14.7 mm | 14.7 mm | 100 / 200 hr | 180 / 400 hr |
| ORIGINAL LINE HS1 | 85.0 mm | 16.5 mm | 16.5 mm | 75 / 150 hr ²⁾ | 150 / 300 hr ²⁾ |

| Product description | Certificates & standards | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | | |
|---------------------|--------------------------|---|------------------------------------|------------------------------------|
| | ECE category | Primary article identifier | Candidate list substance 1 | Declaration no. in SCIP database |
| ORIGINAL LINE S1 | S1 | 4050300942650 4052899157774 | No declarable substances contained | No declarable substances contained |
| ORIGINAL LINE S2 | S2 | 4052899136786 4052899136755 4052899929692 4062172184670 4008321183309 4050300942629 4052899593626 | No declarable substances contained | No declarable substances contained |
| ORIGINAL LINE HS1 | HS1 | 4062172180771 4008321508805 4052899253575 4052899418042 4052899253513 4052899408418 4008321056740 4008321056764 4050300439969 4062172395588 | No declarable substances contained | No declarable substances contained |

¹⁾ Maximum

²⁾ Filament 1

Download Data

| File | |
|---|--|
|  | User instruction GPRS_Safety symbols instructions |
|  | ref_pim_amsproduct360degreeimages ORIGINAL S1 64326 |
|  | ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE S2 64327 |
|  | ref_pim_amsproduct360degreeimages ORIGINAL MOTORCYCLE HS1 64185 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

