OSRAM

ORIGINAL MINIWATT -

Original spare part





The cost-effective original spare parts

ORIGINAL MINIWATT signal lamps for cars are original spare parts with reliable OEM quality from OSRAM. The products impress with their hard-glass technology, a high and constant luminous flux as well as a high color temperature .

Technical data

Product information

Order reference	64113	
Application (Category and Product specific)	Auxiliary lamp	


Electrical data

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10.00 W
Power input tolerance	±7.5 %
Test voltage	13.5 V

Photometrical data

Luminous flux	200 lm
Luminous flux tolerance	±15 %

Dimensions & weight



Length	32.0 mm
Diameter	9 mm
Product weight	2.28 g

Lifespan

Lifespan B3	150 h
Lifespan Tc	400 h

Additional product data

Base (standard designation)	BA9s
Product remark	Also available with glass base: 6411150 or 6411350

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	64113

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Date of Declaration 05-03-2024					
Primary Article Identifier 4008321095046 4050300883090					
Candidate List Substance 1	No declarable substances contained				
Declaration No. in SCIP database	In work				

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4008321095046	OSRA64113	-	4739540	-
4008321095053	OSRA64113	-	4739540	-
4008321095046	OSRA64113	-	4739540	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095046	ORIGINAL MINIWATT 64113	Unpacked 1	- x - x -		
4008321095053	ORIGINAL MINIWATT 64113	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	36.00 g
4008321095060	ORIGINAL MINIWATT 64113	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	229.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













