


Product datasheet PARATHOM LED PIN 480 W/827 G9

PARATHOM LED PIN G9 | Special LED lamps



 Atmospheric accent lighting throughout the home Shops, hotels and restaurants Outdoor applications only in suitable luminaires

- Good all-around light emission Long lifetime of up to 15,000 h Four year guarantee



April 26, 2024, 21:28:28 PARATHOM LED PIN 480 W/827 G9

Product datasheet

Technical data

Electrical data

| Operating frequency | 50/60 Hz |
|--|----------|
| Nominal current | 40 mA |
| Claimed equiv. conventional lamp power | 48 W |


Photometrical data

| Light color (designation) | Warm White |
|---------------------------|------------|
| Luminous flux | 600 lm |

Light technical data

| beam angle 520 | Beam angle | 320 ° |
|----------------|------------|-------|
|----------------|------------|-------|

Dimensions & weight



| Overall length | 59.00 mm |
|----------------|----------|
| Product weight | 12.00 g |

Temperatures & operating conditions

| Ambient temperature range | -20+40 °C |
|---------------------------|-----------|

Lifespan

| Lumen maintenance at end of service life | 0.7 |
|--|-----|
|--|-----|

Additional product data

| Mercury content | 0.0 mg |
|-----------------------------------|--------|
| Mercury-free | Yes |
| Design / version | Clear |
| Appropriate disposal acc. to WEEE | Yes |

Product datasheet

Certificates & standards

| Energy efficiency class | E |
|-------------------------|----------------|
| Energy consumption | 5.00 kWh/1000h |

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

| Date of Declaration | 18-04-2022 | |
|----------------------------------|-------------------------------|--|
| Primary Article Identifier | 4058075271845 4058075622234 | |
| Declaration No. in SCIP database | In work | |

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------------|--|---|----------------------|--------------|
| 4058075622234 | PARATHOM LED PIN 480 W/827 G9 | Shipping carton box 20 Pieces Folding carton box | 150 mm x 122 mm x 77 mm | 1.41 dm ³ | 366.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further products and actual information concerning LED lamps see

www.osram.com/ledlamps

For Guarantee see https://

www.inventronics-light.com/multilevel-guarantees

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Product datasheet

OSRAM is distribution partner of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany