

LEDinspect PROFESSIONAL 150

LED inspection lights for private use



150 lm + 70 lm

Main light with 150 lumen and torch light with 70 lumen



Equipped with 6+1 high-quality LEDs

More light output



Rechargeable 3.7 V 2,000 mAh Li-Polymer battery

Cordless professional lighting tool with docking station



Professional inspection light with docking station

The LEDinspect PROFESSIONAL 150 is a rechargeable LED inspection light with compact and high quality design. The luminaire offers two light settings – main light with up to 150 lumen and torch light with up to 70 lumen – and has an easy to grip and dirt resistant surface. Thanks to magnet and clip, you can work hands-free while maintaining a vehicle. OSRAM provides a 2 year guarantee for this product.

Product datasheet

Technical data

Product information

Order reference	LEDIL207
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	5.00 W
Nominal voltage	3.7 V

Photometrical data

Color temperature	6000 K
Luminous flux	150 lm
Light color LED	White

Dimensions & weight



Product weight	318.00 g
Length	235.0 mm
Width	86.0 mm
Height	80.0 mm

Colors & materials

Base color	Black
------------	-------

Lifespan

Guarantee	3 years
-----------	---------

Additional product data

Type of Battery	Rechargeable
-----------------	--------------

Product datasheet

Number of included batteries	n.a.
Scope of battery	Yes
Battery	Li-ion Polymer Battery Model

Capabilities

Technology	LED
------------	-----

Certificates & standards

Standards	CE
Type of protection	IP44

Country specific categorizations

Order reference	LEDIL207
-----------------	----------

Logistical data

PCHL Watt hour per battery [MPRD]	7.40
-----------------------------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	29-12-2021
Primary Article Identifier	4052899425019
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	8ad6c7ef-7922-44f2-8c0a-6f32c543e11a

Equipment / Accessories

– Charging cable included




Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899425019	LEDinspect PROFESSIONAL 150	Blister 1	181 mm x 342 mm x 85 mm	5.26 dm ³	410.00 g
4052899425026	LEDinspect PROFESSIONAL 150	Shipping carton box 4	200 mm x 195 mm x 355 mm	13.85 dm ³	1973.00 g

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDinspect PROFESSIONAL 150 LEDIL207 User manual
	Movie application Image Film LEDinspect (EN)
	Movie application Image Film LEDinspect Family (EN)

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM