

# Product datasheet

## P R F CLAS A DIM 500 W/827 E27

PARATHOM Retrofit CLASSIC A DIM | Dimmable LED lamps, classic bulb shape



- Perfect for decorative installations Domestic applications  
General illumination Outdoor use in outdoor luminaires only (minimum IP65)

- Design, dimensions, luminous flux comparable to an incandescent or halogen lamp Very low energy consumption Robust against vibrations No UV and near-IR radiation in the light beam Instant 100 % light, no warm-up time No UV and near-IR radiation in the light beam Can be easily fitted instead of ordinary light bulbs
- Caratteristiche prodotto Lampade LED professionali a tensione di rete Ampiezza del fascio luminoso: fino a 300° Dimmerabile Attacco: E27, B22d Durata: fino a 15.000 ore Lampada in vetro Buona qualità della luce; indice di resa del colore Ra:  $\geq 80$ ; cromaticità costante Vantaggi prodotto Forma, dimensioni, flusso luminoso simili a quelli delle lampade alogene o a incandescenza Bassissimo consumo di energia Resistente alle vibrazioni Assenza di emissioni UV e IR nel fascio di luce Luce istantanea al 100%, senza ritardi nel raggiungimento del regime luminoso Assenza di emissioni UV e IR nel fascio di luce Può essere montata facilmente al posto delle lampadine tradizionali Aree applicative Perfetto per le installazioni decorative Applicazioni domestiche Illuminazione generale Solo uso per esterni in apparecchi di illuminazione dedicati (minimo IP65)



Technical data

Electrical data

Operating frequency	50...60 Hz
Nominal current	26 mA
Claimed equiv. conventional lamp power	40 W


Photometrical data

Light color (designation)	Warm White
Luminous flux	470 lm

Light technical data

Beam angle	320 °
------------	-------

Dimensions & weight



Overall length	105.00 mm
Product weight	32.00 g

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Lifespan

Lumen maintenance at end of service life	0.7
--	-----

Additional product data

Mercury content	0.0 mg
Mercury-free	Yes
Design / version	Clear
Appropriate disposal acc. to WEEE	Yes

Product datasheet

Successor EAN	4058075591158
Product remark	Dimmable (with many common dimmers, see also <a href="http://www.ledvance.com/dim">www.ledvance.com/dim</a> )
Predecessor EAN	4058075287303, 4058075439276

Certificates & standards

Energy efficiency class	F
Energy consumption	5.00 kWh/1000h

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	18-04-2022
Primary Article Identifier	4058075439276   4058075591158
Declaration No. in SCIP database	In work

Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4058075591158	P RF CLAS A DIM 500 W/827 E27	Shipping carton box 10 Pieces Folding carton box	315 mm x 131 mm x 126 mm	5.20 dm <sup>3</sup>	554.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner  
of LEDVANCE of LAMPS

**OSRAM**

OSRAM GmbH  
Marcel-Breuer-Strasse 6  
80807 Munich, Germany