# Product datasheet
# DULUX L LED HF 8 W/830 2G11

**OSRAM DULUX L LED HF | Special LED lamps**



- Offices, public buildings Shops Hotels, restaurants Industry Outdoor applications only in suitable luminaires

- Quick, simple and safe replacement Simple replacement thanks to similar design as conventional compact fluorescent lamps Low energy consumption Operation directly on 230 V AC mains possible








© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Technical data

## Electrical data

| | |
|---|---|
| **Operating frequency** | 50/60 Hz |
| **Nominal current** | 38 mA |
| **Claimed equiv. conventional lamp power** | 18 W |

## Photometrical data

| | |
|---|---|
| **Light color (designation)** | Warm White |
| **Luminous flux** | 900 lm |

## Light technical data

| | |
|---|---|
| **Beam angle** | 140 ° |

## Dimensions & weight




| | |
|---|---|
| **Overall length** | 230.00 mm |
| **Product weight** | 82.00 g |

## Temperatures & operating conditions

| | |
|---|---|
| **Ambient temperature range** | -20…+50 °C |

## Lifespan

| | |
|---|---|
| **Lumen maintenance at end of service life** | 0.7 |

## Additional product data

| | |
|---|---|
| **Mercury content** | 0.0 mg |
| **Mercury-free** | Yes |
| **Design / version** | Frosted |
| **Appropriate disposal acc. to WEEE** | Yes |


© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

## Certificates & standards

| | |
|---|---|
| **Energy efficiency class** | E |
| **Energy consumption** | 8.00 kWh/1000h |

## Environmental information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** | |
|---|---|
| **Date of Declaration** | 18-04-2022 |
| **Primary Article Identifier** | 4058075557390 |
| **Declaration No. in SCIP database** | In work |

### Ecodesign regulation information:

Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

### Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4058075557390 | DULUX L LED HF 8 W/830 2G11 | Shipping carton box 10 Pieces Folding carton box | 286 mm x 243 mm x 74 mm | 5.14 $dm^3$ | 1448.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner
of LEDVANCE of LAMPS

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany


© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.