

LEDinspect TASK 180 ESSENTIAL





180 Lumen output

Uniformed wide beam of bright white light to help illuminate workspaces



Flexible mounting options

Use the built-in magnets or integrated hanging hook to enable hands free use



Anti-Slip Coating

Perfect to ensure maximum grip, even in oily conditions



Bright, durable and hands-free lighting for tight spaces

Illuminate tight spaces and hard-to-reach areas with the OSRAM LEDinspect TASK 180 ESSENTIAL Lamp. This advanced inspection lamp is designed with bright, long-life LEDs that deliver a powerful 180 lumens of light, making it perfect for mechanics, technicians, and DIY enthusiasts who require precision in their workspaces.

It also includes a magnetic base and 360-degree hanging hook for hands-free operation, allowing you to position the lamp easily in any workspace. Encased in durable grippy anti-slip coating, it is built to withstand the rigors of workshop environments. Whether in the garage or on-site, this inspection lamp is your go-to tool for clear, consistent lighting.

Product family datasheet

Technical data

	Product inform	Product information		E	Electrical Data			
Product description		Application (Category and Product specific)		N	Nominal wattage		Nominal voltage	
INSPECTION LAMP	LED inspection	LED inspection lights		3 W			4.5 V	
	Photometric D	ata				Physica Dimens	l Attributes & ions	
Product description	Color tempera	Color temperature			ght color ED	Product weight		
INSPECTION LAMP	6500 K		180 lm	W	hite /	146.00	g	
							Lifetime Data	
Product description	Length		Width	Н	eight		Guarantee	
INSPECTION LAMP	35.0 mm		62.0 mm	20	00.0 mm		2 years	
	Capabilities	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Technology	Candid substa		CAS No. of substance		Safe use instruction		
INSPECTION LAMP	LED	Lead 7439		439-92-1	7-1 The identification of the Candidate List substance is		ndidate List	

Product description	Declaration no. in SCIP database
INSPECTION LAMP	9aa32106-6894-
	413e-9d46-
	45e6b54b08cf

sufficient to allow safe use of the article.

Product family datasheet

Download Data

File



User instruction
GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.