


## LEDinspect TORCH 350 ESSENTIAL



### Bright LED output

350 Lumen output to illuminate the dark effortlessly



### 2x AA Batteries included

Includes the replaceable AAA batteries required



### Ergonomic grip

For comfortable holding during use



### 350 Lumen adjustable torch for versatile use

The OSRAM LEDinspect™ TORCH 350 ESSENTIAL is a reliable and high-performance LED torch, designed to deliver powerful illumination in a durable and practical design. Constructed from aluminium with a rubber grip, it offers a comfortable hold, making it perfect for both professional and everyday use.

With an impressive 350 lumens on High, this torch provides bright, clear lighting for detailed inspections, repairs, and outdoor activities. The adjustable focus allows you to seamlessly switch between a wide flood beam and a focused spotlight by simply twisting the head. Three versatile lighting modes – High, Low, and Flash – ensure adaptability for different situations.

Built for tough environments, the IP44 rating offers resistance against dust and water splashes, ensuring reliability in various conditions. Powered by 2x AA batteries, it delivers up to 2.5 hours of runtime on High and an extended 13 hours on Low, giving you long-lasting performance when you need it most.

Product family datasheet

Technical data

|                     | Product information                         | General Product Information | Electrical Data |                 |
|---------------------|---------------------------------------------|-----------------------------|-----------------|-----------------|
| Product description | Application (Category and Product specific) | Global order reference      | Nominal wattage | Nominal voltage |
| INSPECTION LAMP     | LED inspection lights                       | LEDIL428ESN                 | 4 W             | 3 V             |

|                     | Photometric Data |                       | Physical Attributes & Dimensions |         |
|---------------------|------------------|-----------------------|----------------------------------|---------|
| Product description | Light color LED  | Nominal luminous flux | Length                           | Width   |
| INSPECTION LAMP     | White            | 350 lm                | 29.0 mm                          | 29.0 mm |

|                     |          |                | LED module information    | Colors & materials |
|---------------------|----------|----------------|---------------------------|--------------------|
| Product description | Height   | Product weight | Number of LEDs per module | Base color         |
| INSPECTION LAMP     | 145.0 mm | 80.00 g        | 1                         | Black / Orange     |

|                     | Lifetime Data | Capabilities | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                        |
|---------------------|---------------|--------------|-----------------------------------------------------------------------------------------------------------------|------------------------|
| Product description | Guarantee     | Technology   | Candidate list substance 1                                                                                      | CAS No. of substance 1 |
| INSPECTION LAMP     | 2 years       | LED          | Lead                                                                                                            | 7439-92-1              |

| Product description | Safe use instruction                                                                               | Declaration no. in SCIP database     |
|---------------------|----------------------------------------------------------------------------------------------------|--------------------------------------|
| INSPECTION LAMP     | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 8dab3445-fe89-46d5-a073-47bc957019f8 |

Download Data

| File                                                                              |                                                      |
|-----------------------------------------------------------------------------------|------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions |
|  | User instruction<br>LEDinspect TORCH 350 ESSENTIAL   |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.