Product datasheet

OSRAM

LEDriving ADAPTER 64210DA10

Accessories for LED retrofit lamps





Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Compatibility can be checked on the OSRAM website. Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.


Product datasheet


Technical data

Product information

Order reference	64210DA10	
Application (Category and Product specific)	Accessories for LED retrofits	

Dimensions & weight





Diameter	25.3 mm
Product weight	3.50 g
Length	0.0 mm

Lifespan

Guarantee	3 years

Capabilities

Technology	LED accessories
------------	-----------------

Country specific categorizations

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration	08-03-2024		
Primary Article Identifier	4062172360234		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	No declarable substances contained		

Logistical Data

Product datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172360234	LEDriving Adapter 64210DA10	Folding carton box 2	95 mm x 57 mm x 135 mm	0.73 dm³	31.00 g
4062172360241	LEDriving Adapter 64210DA10	Shipping carton box 20	415 mm x 109 mm x 134 mm	6.06 dm³	438.00 g
4062172360258	LEDriving Adapter 64210DA10	Shipping carton box 120	435 mm x 348 mm x 300 mm	45.41 dm³	3406.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File



User instruction
LEDriving ADAPTER 64210DA10 for H7 LED

Legal advice

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

