# **OSRAM**

# LEDinspect UTILITY1000

## Inspectionlights





Multi-Functional Lamp

High flexibility and diverse adjustment possibilities. Up to 180° ratcheting bases and up to 360° rotating body.



1000 lm

2 light functions: Up to 1000lm-high Up to 400lmlow For individually adjustable light settings



Magnetic Base & Rotatable Hook Versatile mounting options



2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

## Light is versatile

Designed with versatility in mind, the UTILITY 1000 combines magnetic, 180° ratcheting base with a 360° rotating body. This means the inspectionlight can be used either freestanding or hands-free, positioned in any number of ways to ensure the work area is properly illuminated. With two light functions - high with up to 1000lm and low with up to 400lm - it produces a light output that can be matched to the task at hand.

This inspection light is ideal as a light for manual work, car repairs and everyday use. OSRAM also provides a 2-year guarantee on this product\* Charging cable and mains



charger included.

## Technical data

	Product information	General Product Information Global order reference		Electrical Data		
Product description	Application (Category and Product specific)			Nominal wattage		Nominal voltage
INSPECTION LAMP	LED inspection lights	LEDIL407		19 W		7.4 V
	Photometric Data				Physic Dimen	cal Attributes & nsions
Product description	Color temperature	Nominal luminous Light col flux LED		Light color LED	Product weight	
INSPECTION LAMP	6500 K	1000 lm		White	490.00 g	
						LED module information
Product description	Length	Width	Height			Number of LEDs per module
INSPECTION LAMP	500.0 mm	41.0 mm		48.0 mm		1
	Colors & materials	Lifetime Additional product data				
Product description	Base color	Guarantee	Type of Battery		Number of included batteries	
INSPECTION LAMP	Black / Orange	2 years	Recharg	Rechargeable 1		
		Capabilities		Certificates & Logist standards		ical data
Product description	Scope of battery	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	Yes	LED	IK07		9.62	
	Environmental & Regul			(EC) 1907/2006	6 (REACh)	)
Product description	Candidate list substance 1	CAS No. of su 1	bstance	Safe use instruction		Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.		12140b2a-ec70- 4b9c-9c15- 9b33a359d5fe

### Download Data

	File
*	User instruction LEDinspect UTILITY 1000 LEDIL407
7	User instruction GPRS_Safety symbols instructions

## Legal advice

### Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.