
OSRAM

LEDinspect FAST CHARGE PRO500

Inspectionlights





Fast charge technology

Ca. 1h charging time from 0% to 100% battery capacity



500 Lumen

Two light functions - main light with up to 500 lm and torchlight function with up to 100 lm



Multi-Angle Light Output

Allows different directions of the light beam



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With two light functions - main light with up to 500lm and torchlight function with up to 100lm, the appropriate light output can be retrieved depending on the task. While some inspection lights take up to three hours to charge, the FAST CHARGE PRO 500's fast charge function takes the lamp from 0% to 100% battery charge in just about 1 hour while still offering a long service life. The inspection light is rechargeable, and the integrated charge level indicator shows the current state of the battery. A USB Type-C charging cable and the corresponding power adapter are included in the scope of

Product family datasheet

supply. In accordance with IP65 protection rating, this inspection light has protection against dust and water ingress and is tested for impact resistance in accordance with IK08. This LED light is easy to carry, has a non-slip and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and in everyday life. In addition, OSRAM provides a 2-year guarantee on this product*

Product family datasheet

Technical data

	Product informatio	n General Proc Information	uct	Electrical Dat	a		
Product description	Application (Categorand Product specific				age	Nominal wattage	
INSPECTION LAMP	LED inspection ligh	nts LEDIL405		3.7 V		9 W	
	Photometric Data				Physic Dimen	al Attributes &	
Product description	Light color No LED flu	minal luminous x	Color t	emperature	Height	t	
INSPECTION LAMP	White 50	0 lm	5700 K		45.0 m	nm	
Product description	Width	Length		Product weigl	h•	LED module information	
Froduct description	witti	Lengui		riodact weigi		LEDs per module	
INSPECTION LAMP	55.0 mm	204.0 mm		380.00 g		2	
	Colors & materials	Lifetime Data	Additional product data				
Product description	Base color	Guarantee			Number batterie	umber of included atteries	
INSPECTION LAMP	Black / Orange	2 years	Yes		1		
		Capabilities	Certificates & standards		Logistical data		
Product description	Type of Battery	Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Rechargeable	LED	IK08		10.00		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)						
Product description	Candidate list substance 1	CAS No. of su	ıbstance	Safe use instr	uction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead	7439-92-1		The identificathe Candidate substance is sufficient to a safe use of tharticle.	e List Illow	2ab9868b-8a12- 4d7c-8ebe- 1226ecef8902	

Product family datasheet

Download Data

	File
	User instruction LEDinspect FAST CHARGE PRO 500
7	User instruction GPRS_Safety symbols instructions
D	Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.