

## LEDinspect WIRE-FREE PRO 600



### Wire-Free charging compatible

Simply place on the Wire-Free charging pad to securely hold and recharge



### 600 Lumens

Place bright, 5700k white light where you need it most



### Built to last

IK08 and IP54 rated to survive the rigors of the professional workshop



### The easiest way to recharge inspection lights

Inspection lights are a vital part of any professional's toolbox. Removing the need to find and plug into the correct charging cable, OSRAM's wire-free inspection lights recharge without hassle by simply being placed on the magnetic charging pad. This innovative design not only enhances convenience but also supports an uninterrupted workflow.

Product family datasheet

Technical data

|                     | Product information                                                                                | General Product Information          | Electrical Data                                                                                                 |                                  |
|---------------------|----------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------|
| Product description | Application (Category and Product specific)                                                        | Global order reference               | Nominal wattage                                                                                                 | Nominal voltage                  |
| INSPECTION LAMP     | LED inspection lights                                                                              | LEDIL421                             | 5 W                                                                                                             | 3.7 V                            |
|                     | Photometric Data                                                                                   |                                      |                                                                                                                 | Physical Attributes & Dimensions |
| Product description | Color temperature                                                                                  | Nominal luminous flux                | Light color LED                                                                                                 | Product weight                   |
| INSPECTION LAMP     | 5700 K                                                                                             | 600 lm                               | White                                                                                                           | 300.00 g                         |
|                     |                                                                                                    |                                      |                                                                                                                 |                                  |
|                     |                                                                                                    |                                      |                                                                                                                 | Lifetime Data                    |
| Product description | Length                                                                                             | Width                                | Height                                                                                                          | Guarantee                        |
| INSPECTION LAMP     | 205.0 mm                                                                                           | 55.0 mm                              | 45.0 mm                                                                                                         | 2 years                          |
|                     | Capabilities                                                                                       | Logistical data                      | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                                  |
| Product description | Technology                                                                                         | Watt hour per battery                | Candidate list substance 1                                                                                      | CAS No. of substance 1           |
| INSPECTION LAMP     | LED                                                                                                | 9.62                                 | Lead                                                                                                            | 7439-92-1                        |
|                     |                                                                                                    |                                      |                                                                                                                 |                                  |
| Product description | Safe use instruction                                                                               | Declaration no. in SCIP database     |                                                                                                                 |                                  |
| INSPECTION LAMP     | The identification of the Candidate List substance is sufficient to allow safe use of the article. | 26c8b24d-65fc-44be-938d-14097cb7f78a |                                                                                                                 |                                  |

Download Data

| File                                                                              |                                                      |
|-----------------------------------------------------------------------------------|------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions |
|  | User instruction<br>LEDinspect WIRE-FREE PRO 600     |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.